

imu

Android ARC POS

Experience all-new
design details



CONTACT US

☎ +82-2-6105-7261/7271

✉ sales2@imupos.com



WATCHING THE
IMU POS · KIOSK
🌐 imupos.com



Horizontal Type
ARC POS



Vertical Type
ARC KIOSK

Android POS SYSTEM


ARC POS

With a new design,
evolve into a smart system!


- A new concept of smart POS system that innovates the store
- Different levels of detail, modern and sophisticated design
- Landscape and Portrait view (2 different product)
- Plug and play



Primary Display



Secondary Display



SPECIFICATION

ARC POS [ARC-H(A)]

CPU	Rockchip RK3568, Quad-core A55, 2.0 GHz
System memory	DDR4 4GB
Storage	eMMC 32GB (eMMC 64GB, optional)
Multi-Media	Support 1080P, H.265 hardware decoder
Operation System	Android 11
Network	AzureWave /AW-CM390SM, Wi-Fi 802.11 AC 2.4/5GHz, Bluetooth 5.0
Playback	wmv, avi, flv, rm, rmvb, mpeg , ts, mp4
Graphics	BMP, JPEG, PNG, GIF
Display	12.2" LED Backlight (1920x1200 / 16:10 Ratio / 350cd/m ² (Typ)) / PCAP 10 Point Multi-touch
Secondary Display	8" Customer Display / LED Backlight (1280x800 / 16:10 Ratio / 270cd/m ² (Typ)) / PCAP 10 Point Multi-touch
USB	USB 3.0 x 2 (External x 1, type C x 1) / USB 2.0 x 3 (External x 2, RJ11 x 1)
LAN	RJ45 x 1(Base-T 10,100,1000m/bps Ethernet)
Serial port	RJ50 x 1, RJ11 x 1
Audio	Audio-out / 3.5mm x 1
Speaker	3W x 1
RTC clock	RTC clock battery on board
Power input	Type C (60W) 12V/5A ; support PD
Temperature	Operating Temp : 0~40℃ / Storage Temp : -20~60℃ / Humidity : 20~90%H non-condensing
Certifications	CE, FCC, KC

*Specifications are subject to change without prior notice.

The speciality of the ARC POS



S l e e k f i n i s h

S t y l i s h D e s i g n



imu

📍 #609, 115, Gasan digital 2-ro, Geumcheon-gu, Seoul, 08505, Republic of Korea
☎ +82-2-6105-7261/7271 ✉ sales2@imupos.com 🌐 imupos.com

WATCHING THE
IMU POS · KIOSK

